CONSERVATION TREE AND SHRUB MANAGEMENT Johnson County, Kansas

A Conservation Tree/Shrub Suitability Group (CTSG), formerly Windbreak Suitability Group, is a physiographic unit or area having similar climatic and edaphic characteristics that control the selection and height growth of trees and shrubs.

In this table, the Conservation Tree and Shrub Grouping is expressed as a group index number. The group index for Conservation Tree and Shrub groups (CTSG) are a guide for species best suited for different kinds of soil and for prediction height, growth, and effectiveness. The groupings can be used when selection woody plants for windbreaks, wildlife plantings riparian buffers, reforestation, other environmental plantings, recreation, landscaping, wetland restoration or enhancement and critical area plantings. CTSG's are developed to assure satisfactory species selection and adaptation to specific conditions of soil, climate and physiography. CTSG's are a guide for selection species best suited for different kinds of soil and prediction height growth and effectiveness.

All soil series mapped in the state have been placed in 10 groups of similar soil characteristics. Groups 1, 2, 3, 4, 6, and 9 are further divided into subgroups. In addition, all groups provide information by Major Land Resource Areas.

Each tree or shrub species has certain climatic and physiographic limits. Within these parameters a tree or shrub may be well or poorly suited because of soil characteristics. Each tree or shrub also has definable potentials of height growth depending on the factors just mentioned. Accurate definitions of potential heights are necessary for proper windbreak planning and design.

Windbreaks protect livestock, buildings, roads and yards from wind and snow. They also protect fruit trees and gardens, and they furnish habitat for wildlife. Several rows of low-growing and high-growing broadleaf and coniferous trees and shrubs provide the most protection.

Field windbreaks are narrow plantings made at right angles to the prevailing wind and at specific intervals across the field. The interval depends on the erodibility of the soil. Field windbreaks protect cropland and crops from wind, help to keep snow on the fields, and provide food and cover for wildlife.

Environmental plantings help to beautify and screen houses and other buildings and to abate noise. The plants, mostly evergreen shrubs and trees, are closely spaced. To ensure plant survival, a healthy planting stock of suitable species should be planted properly on a well prepared site and maintained in good condition.

Windbreaks are often planted on land that did not grow trees originally. Knowledge of how trees perform on such land can be gained only by observing and recording their performance where trees have been planted and survived. The problem is compounded by the fact that many favorite windbreak species are not indigenous to the areas in which they are planted.

The Kansas Field Office Technical Guide Notice KS-230, Conservation Tree and Shrub Plantings Suitability Groups shows the adapted species listing for each group index number. Showing the height that locally grown trees and shrubs are expected to reach in 20 years on various soils. The estimates are based on measurements and observation of established plantings that have been given adequate care. This information should be used to determine the placement of a windbreak, the area protected and the arrangement of species.

A number of attributes are included in the CTSG species tables for each group number found in this section of the Field Office Technical Guide. These attributes were rated subjectively and assigned a relative value to further assist those unfamiliar with individual species characteristics or desirability for the intended use. Definitions and explanations can be found. Additional information on planning windbreaks and screens and planting and caring for trees and shrubs can be obtained from the local office of the Natural Resources Conservation Service or of the Cooperative Extension Service or from a commercial nursery. See part 537 of the National Forestry Manual for additional information.

In the Tree and Shrub Management table interpretive ratings are given for various aspects of forest and conservation tree and shrub management. Some rating class terms indicate the degree to which the soils are suited to a specified forest management practice. Well suited indicates that the soil has features that are favorable for the specified practice and has no limitations. Good performance can be expected, and little or no maintenance is needed. Moderately well suited indicates that the soil has features that are moderately favorable for the specified practice. One or more soil properties are less than desirable and fair performance can be expected. Some maintenance is needed. Poorly suited indicates that the soil has one or more properties that are unfavorable for the specified practice. Overcoming the unfavorable properties requires special design, extra maintenance, and costly alteration. Unsuited indicates that the expected performance of the soil is unacceptable for the specified practice or that extreme measures are needed to overcome the undesirable soil properties.

The paragraphs that follow indicate the soil properties considered in rating the soils for forest and conservation tree and shrub management practices. More detailed information about the criteria used in the ratings is available in the "National Forestry Manual," which is available in local offices of the Natural Resources Conservation Service or on the Internet. Also, in the Kansas Field Office Technical Guide Notice KS-230, Conservation Tree and Shrub Plantings Suitability Groups.

Ratings in the columns suitability for hand planting and suitability for mechanical planting are based on slope, depth to a restrictive layer, content of sand, plasticity index, rock fragments on or below the surface, depth to a water table, and ponding. The soils are described as well suited, moderately well suited, poorly suited, or unsuited to these methods of planting. It is assumed that necessary site preparation is completed before seedlings are planted.

Ratings in the column suitability for mechanical site preparation (surface) are based on slope, depth to a restrictive layer, plasticity index, rock fragments on or below the surface, depth to a water table, and ponding. The soils are described as well suited, poorly suited, or unsuited to this management activity. The part of the soil from the surface to a depth of about 1-foot is considered in the ratings.

Ratings in the column suitability for mechanical site preparation (deep) are based on slope, depth to a restrictive layer, rock fragments on or below the surface, depth to a water table, and ponding. The soils are described as well suited, poorly suited, or unsuited to this management activity. The part of the soil from the surface to a depth of about 3 feet is considered in the ratings.

Ratings in the column potential for seedling mortality are based on flooding, ponding, depth to a water table, content of lime, reaction, salinity, available water capacity, soil moisture regime, soil temperature regime, aspect, and slope. The soils are described as having a low, moderate, or high potential for seedling mortality. See the National Forestry Manual, Subpart B for criteria used in rating management concerns. Specific information on plants and yields can be obtained from the local office of the Natural Resources Conservation Service or the Cooperative Extension Service.

CONSERVATION TREE AND SHRUB MANAGEMENT Johnson County, $$\operatorname{Kansas}$$

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Pines and spruces are prone to disease problems. See text for further explanation of ratings in this table.)

Map symbol and soil name	Wind break Group	Suitability for hand planting	Suitability for mechanical planting		Suitability for mechanical site preparation (deep)	Potential for seedling mortality
		Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
CA: Chase	1	Poorly suited Stickiness	Poorly suited Stickiness	Poorly suited Stickiness	Well suited	Low
EA: Eudora	1	Well suited	Well suited	Well suited	Well suited	Low
EB: Eudora	1	Well suited	Well suited	Well suited	Well suited	Low
EC: Eudora Kimo	1 1	Well suited Moderately suited Stickiness	Well suited Moderately suited Stickiness	Well suited Poorly suited Stickiness	Well suited Well suited	Low Low
ED: Eudora Kimo	1 1	Well suited Moderately suited Stickiness	Well suited Moderately suited Stickiness	Well suited Poorly suited Stickiness	Well suited Well suited	Low Low
GA: Grundy	4C	Moderately suited Stickiness	Moderately suited Stickiness	Poorly suited Stickiness	Well suited	High Wetness
KA: Kennebec	1	Well suited	Well suited	Well suited	Well suited	Low
KB: Kennebec	1	Well suited	Well suited	Well suited	Well suited	Low
KC: Kimo	1	Moderately suited Stickiness	Moderately suited Stickiness	Poorly suited Stickiness	Well suited	Low
LA: Ladoga	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
LB: Ladoga	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
MA: Martin	4C	Moderately suited Stickiness	Moderately suited Stickiness	Well suited	Well suited	Low
MB: Martin	4C	Moderately suited Stickiness	Moderately suited Slope	Well suited	Well suited	Low
Vinland	10	Well suited	Stickiness Moderately suited Slope	Well suited	Well suited	Low
MC: Morrill	3	Well suited	Moderately suited Slope	Well suited	Well suited	Low
OA: Orthents		Moderately suited Stickiness	Moderately suited Stickiness	Well suited	Well suited	Low
OB: Oska	6D	Moderately suited Stickiness	Moderately suited Stickiness Slope	Well suited	Well suited	Low
0C: Oska	6D	Well suited	Moderately suited Slope	Well suited	Poorly suited	Low
Martin	4C	Moderately suited Stickiness	Moderately suited Slope Stickiness	Well suited	layer Well suited	Low
PA: Pawnee	4C	Poorly suited Stickiness	Poorly suited Stickiness Slope	Poorly suited Stickiness	Well suited	Low
PC: Polo	3	Well suited	Well suited	Well suited	Well suited	Low
QA: Pits, Quarries		Not rated	Not rated	Not rated	Not rated	Not rated

CONSERVATION TREE AND SHRUB MANAGEMENT Johnson County, Kansas

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Pines and spruces are prone to disease problems. See text for further explanation of ratings in this table.)

Map symbol and soil name	Wind break Group	Suitability for hand planting	Suitability for mechanical planting	Suitability for mechanical site preparation (surface) Suitability f mechanical si preparation (deep)		Potential for seedling mortality
		Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
RA: Reading	1	Well suited	Well suited	Well suited	Well suited	Low
Sharpsburg	3	Moderately suited Stickiness	Moderately suited Stickiness Slope	Well suited	Well suited	Low
SB: Sharpsburg	3	Moderately suited Stickiness	Moderately suited Stickiness Slope	Well suited	Well suited	Low
Urban Land		Unsuited Horizon table contains no data	Unsuited Horizon table contains no data	Unsuited Horizon table contains no data	Unsuited Horizon table contains no data	High Horizon table contains no data Soil reaction
Sc: Sibleyville	6D	Well suited	Moderately suited Slope	Well suited	Well suited	Low
SD: Sibleyville	6D	Well suited	Moderately suited	Well suited	Well suited	Low
Vinland	10	Well suited	Slope Moderately suited Slope	Well suited	Well suited	Low
SE: Sogn	10	Well suited	Moderately suited Slope	Well suited	Unsuited Restrictive	Low
Vinland	10	Well suited	Moderately suited Slope	Well suited	layer Well suited	Low
VA: Rock Outcrop		Not rated	Not rated	Not rated	Not rated	Not rated
Vinland	10	Well suited	Poorly suited Slope	Poorly suited Slope	Poorly suited Slope	Low
Wabash	2	Moderately suited Stickiness	Moderately suited Stickiness	Well suited	Well suited	High Wetness
WB: Woodson	4C	Poorly suited Stickiness	Poorly suited Stickiness	Poorly suited Stickiness	Well suited	High Wetness
I —————	I ———	l	l ————	l ————	l ————————————————————————————————————	